POD Translation
by *pod2pdf*

ajf@afco.demon.co.uk

EastAsian.pm

Table of Contents
EastAsian.pm

NAME 1
SYNOPSIS 1
DESCRIPTION 1
METHODS 1
lookup() 1
combining() 1
TODO 1
Nothing 1
SEE ALSO 1
MARC::Charset::Generic 1
AUTHORS 1
Ed Summers <ehs@pobox.com> 1

NAME

MARC::Charset::EastAsian - MARC8/UTF8 mappings

SYNOPSIS

```
use MARC::Charset::EastAsian;
my $cs = MARC::Charset::EastAsian->new();
```

DESCRIPTION

MARC::Charset::EastAsian provides a mapping between the MARC8 EastAsian character set and Unicode(UTF8). It is typically used by MARC::Charset, so you probably don‘t need to use this yourself.

Because there are so many EastAsian characters, lookup() uses a tied Berkeley DB file so as to conserve memory. This db was built and installed when you installed MARC::Charset.

MARC::Charset::EastAsian inherits from MARC::Charset::Generic, so you‘ll need to look at those docs as well to see all the available methods.

METHODS

The constructor, which will return you a MARC::Charset::EastAsian object.

lookup()

The workhorse method that does the lookup. Pass it an a character and you‘ll get back the UTF8 character.

combining()

Pass it a character and you‘ll get back a true value (1) if the character is a combining character, and false (undef) if it is not.

TODO

Nothing

SEE ALSO

MARC::Charset::Generic

AUTHORS

Ed Summers <ehs@pobox.com>